CAS ONLINE PRINTOUT

=> d scan

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2-(ethylamino)-2,3-dihydro-, (1R,2R)-rel- (9CI)
MF C11 H15 N O
CI COM

Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):50

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1S,2S)- (9CI)
MF C10 H14 N2 O
CI COM

Absolute stereochemistry. Rotation (+).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1R,2R)-,
(2Z)-2-butenedioate (1:1) (salt) (9CI)
MF C10 H14 N2 O . C4 H4 O4

CM 1

Absolute stereochemistry.

compounds disclosed in specification

CAS ONLINE PRINTOUT



CM 2

Double bond geometry as shown.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Butanedioic acid, compd. with (1R,2R)-2,3-dihydro-2-(1-methylhydrazino)-1H-inden-1-ol (1:2) (9CI)
MF C10 H14 N2 O . 1/2 C4 H6 O4

CM 1

Absolute stereochemistry.



CM 2



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1R,2R)-, (2R,3R)-2,3-dihydroxybutanedioate (2:1) (salt) (9CI)
MF C10 H14 N2 O . 1/2 C4 H6 O6

CM 1

Absolute stereochemistry.

compounds disclosed in specification

CAS ONLINE PRINTOUT



CM 2

Absolute stereochemistry.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-5-methyl-2-(1-methylhydrazino)-, (1R,2R)-rel-, (2Z)-2-butenedioate (1:1) (salt) (9CI)
MF C11 H16 N2 O . C4 H4 O4

CM 1

Relative stereochemistry.



CM 2

Double bond geometry as shown.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2-(ethylnitrosoamino)-2,3-dihydro-, (1R,2R)-rel- (9CI)
MF C11 H14 N2 O2

Relative stereochemistry.

compounds disclosed in specification

CAS ONLINE PRINTOUT



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(methylnitrosoamino)-, (1R,2R)-rel- (9CI)
MF C10 H12 N2 O2

Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1R,2S)-,
(2Z)-2-butenedioate (1:1) (salt) (9CI)
MF C10 H14 N2 O . C4 H4 O4

CM 1

Absolute stereochemistry.



CM 2

Double bond geometry as shown.



compounds disclosed in specification

CAS ONLINE PRINTOUT



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 2-Butenedioic acid (2E)- (9CI)
MF C4 H4 O4
CI COM

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-6-methoxy-2-(methylamino)-, (1R,2R)-rel- (9CI)
MF C11 H15 N O2
CI COM

Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(methylamino)-, (1S-trans)- (9CI)
MF C10 H13 N O

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1R,2R)-rel-,

compounds disclosed in specification

CAS ONLINE PRINTOUT

(2Z)-2-butenedioate (1:1) (salt) (9CI)
MF C10 H14 N2 O . C4 H4 O4

CM 1

Relative stereochemistry.



CM 2

Double bond geometry as shown.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Butanedioic acid, compd. with (1S,2S)-2,3-dihydro-2-(1-methylhydrazino)-1H-inden-1-ol (1:2) (9CI)
MF C10 H14 N2 O . 1/2 C4 H6 O4

CM 1

Absolute stereochemistry. Rotation (+).



CM 2



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1S,2S)-, (2R,3R)-2,3-dihydroxybutanedioate (2:1) (salt) (9CI)
MF C10 H14 N2 O . 1/2 C4 H6 O6

compounds disclosed in specification

CAS ONLINE PRINTOUT

CM 1

Absolute stereochemistry. Rotation (+).



CM 2

Absolute stereochemistry.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1R,2S)-rel-, (2Z)-2-butenedioate (1:1) (salt) (9CI)
MF C10 H14 N2 O . C4 H4 O4

CM 1

Relative stereochemistry.



CM 2

Double bond geometry as shown.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(methylnitrosoamino)-, (1S,2S)- (9CI)

compounds disclosed in specification

CAS ONLINE PRINTOUT

MF C10 H12 N2 O2

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-5-methyl-2-(methylnitrosoamino)-, (1R,2R)-rel- (9CI)
MF C11 H14 N2 O2

Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-6-methyl-2-(methylamino)-, (1R,2R)-rel- (9CI)
MF C11 H15 N O

Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

compounds disclosed in specification

CAS ONLINE PRINTOUT

IN 2-Butenedioic acid (2Z)- (9CI)
MF C4 H4 O4
CI COM

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Oxidase, monoamine (9CI)
MF Unspecified
CI MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(methylamino)-, (1R-trans)- (9CI)
MF C10 H13 N O

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2-(1-ethylhydrazino)-2,3-dihydro-, (1R,2R)-rel-,
    (2Z)-2-butenedioate (1:1) (salt) (9CI)
MF C11 H16 N2 O . C4 H4 O4

    CM 1

Relative stereochemistry.



compounds disclosed in specification

CAS ONLINE PRINTOUT

CM 2

Double bond geometry as shown.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1R,2R)-, (2E)-2-butenedioate (2:1) (salt) (9CI)
MF C10 H14 N2 O . 1/2 C4 H4 O4

CM 1

Absolute stereochemistry.



CM 2

Double bond geometry as shown.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1R,2R)-, (2S,3S)-2,3-dihydroxybutanedioate (2:1) (salt) (9CI)
MF C10 H14 N2 O . 1/2 C4 H6 O6

CM 1

Absolute stereochemistry.



CM 2

compounds disclosed in specification

CAS ONLINE PRINTOUT

Absolute stereochemistry.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1R,2S)- (9CI)
MF C10 H14 N2 O
CI COM

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-6-methoxy-2-(1-methylhydrazino)-, (1R,2R)-rel-, (2Z)-2-butenedioate (1:1) (salt) (9CI)
MF C11 H16 N2 O2 . C4 H4 O4

CM 1

Relative stereochemistry.



CM 2

Double bond geometry as shown.



compounds disclosed in specification

CAS ONLINE PRINTOUT



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(methylnitrosoamino)-, (1R,2S)- (9CI)
MF C10 H12 N2 O2

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-5-methyl-2-(methylamino)-, (1R,2R)-rel- (9CI)
MF C11 H15 N O

Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Butanedioic acid (9CI)
MF C4 H6 O4
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1-Oxa-2-azaspiro[2.5]octane (7CI, 8CI, 9CI)
MF C6 H11 N O

compounds disclosed in specification

CAS ONLINE PRINTOUT

CI RPS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN VAP 1 (9CI)
MF Unspecified
CI MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1S,2S)-, (2Z)-2-butenedioate (1:1) (salt) (9CI)
MF C10 H14 N2 O . C4 H4 O4

CM 1

Absolute stereochemistry. Rotation (+).



CM 2

Double bond geometry as shown.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1S,2S)-, (2E)-2-butenedioate (2:1) (salt) (9CI)
MF C10 H14 N2 O . 1/2 C4 H4 O4

CM 1

Absolute stereochemistry. Rotation (+).

compounds disclosed in specification

CAS ONLINE PRINTOUT



CM 2

Double bond geometry as shown.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(1-methylhydrazino)-, (1S,2S)-, (2S,3S)-2,3-dihydroxybutanedioate (2:1) (salt) (9CI)
MF C10 H14 N2 O . 1/2 C4 H6 O6

CM 1

Absolute stereochemistry. Rotation (+).



CM 2

Absolute stereochemistry.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Hydrazine, 1-[(1S,2S)-2,3-dihydro-1-methoxy-1H-inden-2-yl]-1-methyl-, (2Z)-2-butenedioate (1:1) (9CI)
MF C11 H16 N2 O . C4 H4 O4

CM 1

Absolute stereochemistry.

compounds disclosed in specification

CAS ONLINE PRINTOUT



CM 2

Double bond geometry as shown.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-6-methyl-2-(1-methylhydrazino)-, (1R,2R)-rel-, (2Z)-2-butenedioate (1:1) (salt) (9CI)
MF C11 H16 N2 O . C4 H4 O4

CM 1

Relative stereochemistry.



CM 2

Double bond geometry as shown.



L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-2-amine, 2,3-dihydro-1-methoxy-N-methyl-N-nitroso-, (1S,2S)-(9CI)
MF C11 H14 N2 O2

Absolute stereochemistry.

compounds disclosed in specification

CAS ONLINE PRINTOUT



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN 1H-Inden-1-ol, 2,3-dihydro-2-(methylamino)-, (1R,2S)- (9CI)
MF C10 H13 N O

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Butanedioic acid, 2,3-dihydroxy- (2R,3R)- (9CI)
MF C4 H6 O6
CI COM

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 41 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Butanedioic acid, 2,3-dihydroxy-, (2S,3S)- (9CI)
MF C4 H6 O6
CI COM

Absolute stereochemistry.

compounds disclosed in specification

CAS ONLINE PRINTOUT



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=>

compounds disclosed in specification

=> d bib hitstr 2-7

L14 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
AN 1996:332010 CAPLUS
DN 125:86465
TI Synthesis and stereochemistry of oxazolo[4',5':1,2]benz[5,4,3-c,d]indole derivatives as intermediates on the way to a selective dopamine autoreceptor agonist
AU Gmeiner, Peter; Bollinger, Bernd; Lotter, Hermann
CS Pharmazeutisches Inst. der Univ. Bonn, Bonn, D-53121, Germany
SO Journal of Heterocyclic Chemistry (1996), 33(2), 481-483
CODEN: JHTCAD; ISSN: 0022-152X
PB HeteroCorporation
DT Journal
LA English
IT **178551-99-0P**
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of (dipropylamino)benz[cd]indolone)
RN 178551-99-0 CAPLUS
CN 1,2-Hydrazinedicarboxylic acid, 1-[1,2,2a,3,4,5-hexahydro-5-hydroxy-2-oxobenz[cd]indol-4-yl]-, bis(phenylmethyl) ester, (2a.alpha.,4.beta.,5.beta.)- (9CI) (CA INDEX NAME)

Relative stereochemistry.



L14 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
AN 1995:801122 CAPLUS
DN 124:8665
TI Synthesis, pharmacological investigation and computational studies on a tricyclic ergoline analog with selective dopamine autoreceptor activity
AU Gmeiner, Peter; Bollinger, Bernd; Mierau, Joachim; Hoefner, Georg
CS Pharmazeutisches Institut, Universitaet Bonn, Bonn, D-53121, Germany
SO Archiv der Pharmazie (Weinheim, Germany) (1995), 328(7-8), 609-14
CODEN: ARPMAS; ISSN: 0365-6233
PB VCH
DT Journal
LA English
OS CASREACT 124:8665
IT **171006-44-3P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(synthesis, pharmacol. investigation and computational studies on a tricyclic ergoline analog with selective dopamine autoreceptor activity)

RN 171006-44-3 CAPLUS
CN 1,2-Hydrazinedicarboxylic acid, 1-[1,2a-bis(diethoxymethyl)-1,2,2a,3,4,5-hexahydro-5-hydroxy-2-oxobenz[cd]indol-4-yl]-, bis(phenylmethyl) ester, (2a.alpha.,4.beta.,5.alpha.)- (9CI) (CA INDEX NAME)

Relative stereochemistry.



L14 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
AN 1992:426035 CAPLUS
DN 117:26035
TI Synthesis of amines and amino alcohols by electrophilic amination and highly stereoselective reduction
AU Gmeiner, Peter; Bollinger, Bernd
CS Inst. Pharm. Lebensmittelchem., Univ. Muenchen, Munich, 8000/2, Germany
SO Liebigs Annalen der Chemie (1992), (3), 273-8
CODEN: LACHDL; ISSN: 0170-2041
DT Journal
LA English
OS CASREACT 117:26035
IT **138206-94-7P 138206-95-8P 138408-15-8P**
138408-16-9P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. and hydrogenolysis of)
RN 138206-94-7 CAPLUS
CN 1,2-Hydrazinedicarboxylic acid, 1-(1,2,3,4-tetrahydro-1-hydroxy-2-naphthalenyl)-, bis(phenylmethyl) ester, cis- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 138206-95-8 CAPLUS
CN 1,2-Hydrazinedicarboxylic acid, 1-(1,2,3,4-tetrahydro-1-hydroxy-7-methoxy-

2-naphthalenyl)-, bis(phenylmethyl) ester, cis- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 138408-15-8 CAPLUS
CN 1,2-Hydrazinedicarboxylic acid, 1-(1,2,3,4-tetrahydro-1-hydroxy-2-naphthalenyl)-, bis(phenylmethyl) ester, trans- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 138408-16-9 CAPLUS
CN 1,2-Hydrazinedicarboxylic acid, 1-(1,2,3,4-tetrahydro-1-hydroxy-7-methoxy-2-naphthalenyl)-, bis(phenylmethyl) ester, trans- (9CI) (CA INDEX NAME)

Relative stereochemistry.



IT **138408-13-6P 138408-14-7P 138408-17-0P**
138408-18-1P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. and nitrogen-nitrogen bond cleavage of)
RN 138408-13-6 CAPLUS
CN 1-Naphthalenol, 2-hydrazino-1,2,3,4-tetrahydro-, monohydrochloride, cis- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

RN 138408-14-7 CAPLUS
CN 1-Naphthalenol, 2-hydrazino-1,2,3,4-tetrahydro-7-methoxy-, monohydrochloride, cis- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

RN 138408-17-0 CAPLUS
CN 1-Naphthalenol, 2-hydrazino-1,2,3,4-tetrahydro-, monohydrochloride, trans- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

RN 138408-18-1 CAPLUS
CN 1-Naphthalenol, 2-hydrazino-1,2,3,4-tetrahydro-7-methoxy-, monohydrochloride, trans- (9CI) (CA INDEX NAME)

Relative stereochemistry.



● HCl

L14 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
AN 1992:41818 CAPLUS
DN 116:41818
TI Efficient methodology for the preparation of .beta.-aminotetralin derivatives via electrophilic amination
AU Gmeiner, Peter; Bollinger, Bernd
CS Inst. Pharm. Lebensmittelchem., Ludwig-Maximilians-Univ., Munich, 8000/2, Germany
SO Tetrahedron Letters (1991), 32(42), 5927-30
CODEN: TELEAY; ISSN: 0040-4039
DT Journal
LA English
OS CASREACT 116:41818
IT **138206-94-7P 138206-95-8P**
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. and transesterification-cyclization of)
RN 138206-94-7 CAPLUS
CN 1,2-Hydrazinedicarboxylic acid, 1-(1,2,3,4-tetrahydro-1-hydroxy-2-naphthalenyl)-, bis(phenylmethyl) ester, cis- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 138206-95-8 CAPLUS
CN 1,2-Hydrazinedicarboxylic acid, 1-(1,2,3,4-tetrahydro-1-hydroxy-7-methoxy-2-naphthalenyl)-, bis(phenylmethyl) ester, cis- (9CI) (CA INDEX NAME)

Relative stereochemistry.



L14 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
AN 1970:121454 CAPLUS
DN 72:121454
TI Photochemical and thermal 1,2- and 1,4-cycloaddition reactions of azodicarbonyl compounds with monoolefins
AU Koerner von Gustorf, Ernst; White, Danny V.; Kim, Bongsub; Hess, Dieter; Leitich, Johannes
CS Abt. Strahlenchem., Max Planck Inst. Kohlenforsch., Muelheim, Fed. Rep. Ger.
SO Journal of Organic Chemistry (1970), 35(4), 1155-65
CODEN: JOCEAH; ISSN: 0022-3263
DT Journal
LA English
IT **23358-19-2P 23358-23-8P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of)
RN 23358-19-2 CAPLUS
CN 1-Indanol, 2-(1,2-dimethylhydrazino)-, cis- (8CI) (CA INDEX NAME)

Relative stereochemistry.



PROVISO
en+

RN 23358-23-8 CAPLUS
CN Bicarbamic acid, (1-hydroxy-2-indanyl)-, diethyl ester (8CI) (CA INDEX NAME)





L14 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
AN 1970:121451 CAPLUS

09/902,789

DN 72:121451
TI Azodiformate adduct of indene and the stereochemistry of some 1,2-disubstituted indans
AU Huebner, Charles F.; Donoghue, Ellen M.; Novak, Carol J.; Dorfman, Louis; Wenkert, Ernest
CS Chem. Res. Div., CIBA Pharm. Co., Summit, NJ, USA
SO Journal of Organic Chemistry (1970), 35(4), 1149-54
CODEN: JOCEAH; ISSN: 0022-3263
DT Journal
LA English
IT **23358-19-2P 23359-96-8P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of)
RN 23358-19-2 CAPLUS
CN 1-Indanol, 2-(1,2-dimethylhydrazino)-, cis- (8CI) (CA INDEX NAME)

Relative stereochemistry.



RN 23359-96-8 CAPLUS
CN Acetic acid, 2-(1-hydroxy-2-indanyl)-1,2-dimethylhydrazide acetate (ester) (8CI) (CA INDEX NAME)



=>